

## 測試報告

## Test Report

號碼(No.): CT/2015/C0192

日期(Date): 2015/12/15

頁數 (Page): 1 of 3

恆業市場推廣有限公司

THE CONTINUITY COMPANY

香港鰂魚涌華蘭路18號港島東中心17樓

17/F, ONE ISLAND EAST, 18 WESTLANDS ROAD, QUARRY BAY, HONG KONG



以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as) :

送樣廠商(Sample Submitted By) : TMC/ LISHING  
樣品名稱(Sample Description) : BERNDES BAKEWARE RAMEKIN  
樣品型號(Style/Item No.) : 1503906  
樣品材質(Sample Material) : STONEWARE  
收件日期(Sample Receiving Date) : 2015/12/07  
測試期間(Testing Period) : 2015/12/07 TO 2015/12/15

測試需求(Test Requested) : 依據客戶指定，參考中華民國食品器具容器包裝衛生標準 (102.08.20部授食字第1021350146號令修正)，測試萃取鉛、鎘含量。 / As specified by client, with referenece to Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1021350146 was amended on 2013/08/20) to test Leachable Lead and Cadmium content.

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

  
George Fong / Supervisor  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory – Taipei

# 測試報告

號碼(No.): CT/2015/C0192

日期(Date): 2015/12/15

頁數 (Page): 2 of 3

# Test Report

恆業市場推廣有限公司

THE CONTINUITY COMPANY

香港鰂魚涌華蘭路18號港島東中心17樓

17/F, ONE ISLAND EAST, 18 WESTLANDS ROAD, QUARRY BAY, HONG KONG



## 測試結果 (Test Results)

測試部位(PART NAME) No. 1 : 白色陶瓷杯內部 (INTERNAL PART OF WHITE CERAMIC CUP)

測試項目 (Test Items)	單位 (Unit)	容積 (Volume) (ml)	測試方法 (Method)	定量 極限 (LOQ)	結果 (Result)	限值 (Limit)
					No. 1	
鉛 / Lead	mg/L	140	參考食品器具、容器、包裝檢驗方法-玻璃、陶瓷器、施瑛瑯之檢驗 (MOHWU0009.02, 104年4月29日部授食字第1041900647號公告), 以感應耦合電漿原子發射光譜儀分析. / As described in Method of Test for Food Utensils, containers and Packages - Test of Glass, Porcelain and Enamelled Products (MOHWU0009.02, MOHW Food No. 1041900647 announced, April 29, 2015), Analysis was performed by ICP-AES.	0.05	n. d.	5
	mg/L			0.05	n. d.	5
	mg/L			0.05	n. d.	5
	mg/L			0.05	n. d.	5
	mg/L			0.05	n. d.	5
	mg/L			0.05	n. d.	5
鎘 / Cadmium	mg/L			0.01	n. d.	0.5
	mg/L			0.01	n. d.	0.5
	mg/L			0.01	n. d.	0.5
	mg/L			0.01	n. d.	0.5
	mg/L			0.01	n. d.	0.5
	mg/L	0.01	n. d.	0.5		

### 備註(Note):

1. mg/L = ppm
2. LOQ = Limit of Quantification (定量極限)
3. n. d. = Not Detected = less than LOQ (未檢出)
4. 基於商業競爭及其他因素考量, 除了第一頁的資料以外, 顧客表示無法提供其餘與樣品相關的資料。/ Due to the commercial competition and other consideration the client can't provide information related to the submitted sample besides the information listed on the page one.
5. 測試報告僅就委託測試者之委託事項提供測試結果, 至若本產品之合法性, 仍應由主管機關依法判斷。(The test report is the test result issued by the testing institutions as requested by the consignor. Regarding to the legitimacy of the product, it shall be determined by the authorities according to the law.)

## 測試報告

## Test Report

號碼(No.): CT/2015/C0192

日期(Date): 2015/12/15

頁數 (Page): 3 of 3

恆業市場推廣有限公司

THE CONTINUITY COMPANY


香港鰂魚涌華蘭路18號港島東中心17樓

17/F, ONE ISLAND EAST, 18 WESTLANDS ROAD, QUARRY BAY, HONG KONG



\* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 \*  
(The tested sample / part is marked by an arrow if it's shown on the photo.)

### CT/2015/C0192



\*\* 報告結尾 \*\*